



Sport Equipment II/2015



www.sodexsport.com

Sodex, French Producer of Sport Equipments, Nets & Accessories in Vietnam



Sodex has been the sole contractor of the French company Filmasport for 15 years until 2009. For the last 5 years, we have been dedicated to make the Sodex brand known on the international stage. We have attended international exhibitions (Taispo, the Big 5, FSB), developed partnerships and invested in storage depots.

Our business objective is to continue this development and consolidate our presence on the international stage.

We also continue to convey the message that to be competitive in terms of price is not incompatible with the idea of consistently providing quality products, in strict compliance with international standards.

From a technical point of view, in order to be in line with our target market and the quality required by our customers, we have set up a range of aluminum products.

Thanks to the ongoing communication with our customers, our product offering has expanded, increasing the choice of goals and posts in every one of our product lines.

Finally, one of our main objectives will be to maintain our competitiveness in terms of price, by fighting against fluctuations in production costs in Vietnam.

We are planning ahead by investing internally to improve productivity, not to mention the addition of a new production unit by 2016, which will bring modernity and continued improvement to our working conditions.

As you can see, Sodex continues to grow step by step, thanks to a multicultural team which combines experience and dynamism.

*Alann Bouvot
Managing Director*


New Products



Aluminium Football Goals



Electronic Scoreboard



Fully welded Handball Goal



Multi - Function Goals



Tennis Balls Machine



Outdoor Fitness

Summary

	Team Shelter	5
	Football	6 - 12
	Basketball	13 - 18
	Hand Ball	19 - 21
	Multi-function goal / Field Hockey goal	22 - 23
	Tennis	24 - 27
	Windbreak / Windscreen	28
	Badminton	29 - 31
	Changing Room Benches	32
	Volleyball / Beach Volley	33 - 38
	Connections / Surrounding Net / Plastic Accessories	39 - 40
	Mobile Benches	41
	Outdoor Fitness	42

Freestanding Team Shelters

2m high, 1.3m deep. Team Shelters are made from aluminium profile 60mm x 30mm powder coated. Seating consists of 4 reinforced aluminium bars or PVC seats, top bar with curved profile. Delivered with anchors.



	Ref with aluminium bar seats	Ref with PVC seats
Length 1m, 2 players	S11410G	S11510G
Length 2m, 4 players	S11420G	S11520G
Length 3m, 6 players	S11430G	S11530G
Length 4m, 8 players	S11440G	S11540G
Length 6m, 12 players	S11460G	S11560G
Length 8m, 16 players	S11480G	S11580G



Transparent side protection 2mm. Rear protection in 5mm thick polycarbonate.

Complies with European Standard EN 748

Our junior football goals are in aluminium or galvanised steel. White powder coated. Corner joints are welded directly on posts. Size : 5m x 2m (other sizes on request). Delivered with PVC net hooks, anchor systems or sockets with caps.



■ Socketed Goal

Standard Goal

S12101 - Goal in galvanised steel Ø80mm

S12102 - Goal in aluminium Ø90mm

With top net support



S12119 - Goal in galvanised steel Ø80mm


S12120 - Goal in aluminium Ø90mm

■ Mobile goal

Mobile goal with collapsible sides and rear bars (tube Ø34mm, green powder coated)

S12137 - Goal in galvanised steel Ø80mm

S12138 - Goal in aluminium Ø90mm



■ Freestanding goal

Freestanding goal with top net supports (tube Ø34mm, green powder coated)



S12174 - Goal in aluminium Ø90mm

Complies with European Standard EN 748

Our foldable football goals are made from galvanised steel tube Ø 90mm x 2.1mm. White powder coated. Corner joints are welded directly on posts. Size : 5m x 2m (other sizes on request). Delivered with net suspension posts and PVC net hooks.



S12041 - Depth from 2.3 to 3.0m

S12046 - Depth from 3.5 to 4.1m

Folding goal with adjustable depth

1

Height adjustment for the back part

2

3 positions for roller height adjustment

3

Depth adjustment for the arch

4

Welded corner

Complies with European Standard EN 748

Made from aluminium ovoid tube 100x120mm. White powder coated. Size: 7.32m x 2.44m (other size on request). Delivered with PVC net hooks, anchor systems or sockets with caps




■ Socketed goal **NEW**

S12211 - Goal in aluminium ovoid tube 100x120mm. This goal can be delivered without PVC netting hooks. Net can be directly fixed inside the profile.


■ Freestanding goal



S12288 - Freestanding goal. The ground bars allow to stabilize the goal. Delivered with anchors. Net supports and reinforcement bars in galvanised steel tube, green powder coated. Goal fixations: see page 09



Aluminium profile view



S12611

The folding base frame is made from galvanised steel tube Ø27 and Ø34mm. Green powder coated. For senior and junior goal sizes (length from 5m to 7.43m, depth from 1.55m to 2.83m)

S12410V

Set of 4 supporting net posts in galvanised tube Ø49mm, delivered with ground sockets. Green powder coated. Total height: 3m. Height above ground: 2.337m



½ Hook to fix the folding base frame. Zinc plated. White powder coated

S12611EZW-06

For steel junior goal Ø80mm

S12611EZW-10

For steel senior goal Ø101.6mm



S12611-12

Hook to fix the folding base frame for aluminium goal. Zinc plated. With bichromated screw bolt and nut.

■ Fixations



Ground socket + cap. Set of 4 units.

S12555

Galvanised steel ground socket for junior goal Ø80

S12562

Aluminium ground socket for junior goal Ø90

S12578

Aluminium ground socket for senior goal 100x120



Ground anchor. To adapt anywhere on ground frame. Set of 4 anchors.

S12471EZ

For ground frame : Ø 34mm. Other possibilities in Ø 60mm, Ø80mm, Ø90mm, Ø100mm.



Stabilizing Coil Anchor for freestanding goals + counterweight. Set of 2 clamps, with 2 spiral ground pegs and 1 crank. Zinc plated.

S12378EZ

For ground frame : Ø 34mm. Other possibilities in Ø 60mm, Ø80mm, Ø90mm, Ø100mm.



S12660

Empty counterweight, sand filling by customer. The counterweight based on rear frame and easy to move. Set of 2 units per goal.



S12005EZW
Mini goal with net. Our frame is made from zinc plated steel tube Ø34mm x 1.5mm. White powder coated.



CONES
S12505
Plastic cones small model 23cm high
S12507
Plastic cones big model 31cm high




S50810
Balls carrying net (10 - 12 balls)
Other capacities: 1 ball; 2-3 balls; 4-5 balls; 6-8 balls on request



S12520
Set of 4 elastic cords 50cm long for fixing nets on arch.



S12363 - PVC hook 1 fixing point



S12361 - PVC hook 2 fixing points



S12364 - PVC hook for alu goal



S12510
Set of 2 referee flags




S12350-01
Set of 4 flexible corner poles 1.50m high. Flag, PVC tube, Flexible rubber connector, plastic soccer and cap




S12530
Manual scoreboard

Our nets are made of high density polyethylene, processed with UV treatment to ensure uniform color and weather resistance. Nets are supplied with top cord.


Standard color: Black. Other colors on request.




Twisted 2mm
Single mesh



Twisted 2mm
Double mesh




Braided 3mm
Single mesh



Braided 4mm
Single Mesh

Junior nets


REF.	Thread	Mesh	Dimensions				Shape	USE
	Braided/Twisted	(mm)	A	B	C	D		
S12715-M	TW 2.0	SM 145	5.07	2.03	0.87	1.59	W.D	Training
S12718-M	BR 3.0	SM 145	5.07	2.03	0.87	1.59	W.D	Training
S12771-M	BR 3.0	SM 145	5.07	2.03	0.87	1.59	W.D	Foldable goal
S12713-M	BR 3.0	SM 145	5.07	2.03	X	1.59	N.D	Training
S12719	BR 4.0	SM 145	5.07	2.03	0.87	1.59	W.D	Training
S12726-M	TW 2.0	SM 120	5.04	2.04	0.84	1.56	W.D	Competition
S12728-M	BR 3.0	SM 120	5.04	2.04	0.84	1.56	W.D	Competition
S12773-M	BR 3.0	SM 120	5.04	2.04	0.84	1.56	W.D	Foldable goal
S12714-M	BR 3.0	SM 120	5.04	2.04	X	1.56	N.D	Competition
S12729	BR 4.0	SM 120	5.04	2.04	0.84	1.56	W.D	Competition




N.D: No Depth

Senior nets

REF.	Thread	Mesh	Dimensions				Shape	USE
	Braided/Twisted	(mm)	A	B	C	D		
S12820	TW 2.0	DM 145	7.54	2.61	0.87	2.03	W.D	Training
S12821	TW 2.0	DM 145	7.54	2.61	2.03	2.03	Box	Training
S12860-M	BR 3.0	SM 145	7.54	2.61	0.87	2.03	W.D	Training
S12861-M	BR 3.0	SM 145	7.54	2.61	2.03	2.03	Box	Training
S12920	BR 4.0	SM 145	7.54	2.61	0.87	2.03	W.D	Training
S12921	BR 4.0	SM 145	7.54	2.61	2.03	2.03	Box	Training
S12822	TW 2.0	DM 120	7.56	2.52	0.84	2.04	W.D	Competition
S12823	TW 2.0	DM 120	7.56	2.52	2.04	2.04	Box	Competition
S12862-M	BR 3.0	SM 120	7.56	2.52	0.84	2.04	W.D	Competition
S12863-M	BR 3.0	SM 120	7.56	2.52	2.04	2.04	Box	Competition
S12922	BR 4.0	SM 120	7.56	2.52	0.84	2.04	W.D	Competition
S12923	BR 4.0	SM 120	7.56	2.52	2.04	2.04	Box	Competition
S12924	BR 4.0	SM 120	7.56	2.52	2.04	2.04	Box	Competition
S12924BI	BR 4.0	SM 120	7.56	2.52	2.04	2.04	Box	Competition



W.D: With Depth



Box

■ SM : Single mesh ■ DM: Double mesh



U19 European Championship



■ The 90° white band

S12924 A braided 4mm net. Particularities: these nets are reinforced at the top corner and on rear height with sewed band. The back tension corners are reinforced and have eyelets. These nets are used in many European and African stadiums.



■ Two-coloured Net

S12924BI Hand-made nets allow us to make all kinds of drawings, colours, chequered patterns, even in small quantities



S14621 - Mobile basketball goal
Height adjustment by crank handle
(not included) from 2.6m to 3.05m


Made of steel. White powder coated. Fan shaped backboard 1.12m x 0.775m. Standard ring + net. Counterweight for transport on wheels. Anchor system included. Projection: 0.6m
This model complies with European Standard EN1270



S14627 - Mobile basketball goal
Height adjustment 2.6m - 3.05m

Made from steel. White powder coated. Backboard 1.2m x 0.9m. Standard ring + net. Counterweight 70kg. Transport on wheels. Anchor system included. Projection: 0.6m

■ Netball posts



S14045 - Mobile netball post.
Height adjustment 2.1m - 3.05m. Made of square steel 50x50. Empty counterweight able to contain sand. Transport on wheels.



S14060GCW - Socketed netball post
Made of hot dip galvanised steel 75x75. Netball ring S14305. Ground socket included.

Complies with EN 1270

■ Basketball Goals 100x100x3mm

Hot-dip galvanised. Projection: 1.2m. Provided with composite backboard 1.2m x 0.9m, standard ring S14333 O and net 5mm.

Directly concreted into the ground

S14010GC

Ring height : 2.6m

S14020GC

Ring height : 3.05m

Bolt - to - ground post with foot plate for anchoring down. (Anchor kit S14442BCN on option)

S14017GC

Ring height: 2.6m

S14025GC

Ring height: 3.05m



Top metallic part can be adjusted after embedding to reinforce the fixation and the holding of backboard



Ring is bolted through the backboard into the main frame construction.



Model consists in 2 parts for easy transport (4 screws are supplied).



S14442BCN

Anchor kit 250mm x 250mm with thickness of 10mm

Directly concreted into the ground

S14220GC

Ring height: 3.05m



Foot plate reinforced

Bolt - to - ground post with foot plate for anchoring down. (Anchor kit S14442BCN on option)

S14230GC

Ring height: 3.05m



Ho Chi Minh - Vietnam

S14650 – Portable folding Basketball goals. Projection 3.25m

S14645 – Portable folding Basketball goals. Projection 2.25m

Steel construction 120x120x4mm thick. White powder coated - safety standards for international competition. Transparent backboard 1800x1050x15mm with full perimeter steel frame and bottom padding.


Breakaway rim released at 105kg - counterweight providing perfect stability under all conditions of play. Easy moving on 4 double PU wheels (2 swivel wheels in front and 2 fixed wheels at the rear) help protect floors.




Pedestal feet and floor anchoring system lock unit in game position. Full padding at the impact areas. Spring assisted mechanism so that the unit can be easily setup by one person.



S14650



S14650



S14650



- BT6015 Compak** - Viewing distance 60m
- Size (L x H x W in mm) 860 x 600 x 80
 - Weight 15 kg
 - Game clock / local time / score
 - End of period indicator
- Main keyboard and cable included. With horn



- BT6125 Alpha** - Viewing distance 120m
- Size (L x H x W in mm) 2000 x 1300 x 80
 - Weight 80 kg
 - Game clock / local time / score
 - Time-out indicators / penalty indicators
 - Period number
 - Team fouls
 - Penalty timer
 - Service indicator / End of period indicator
 - Result of the previous sets
 - Won sets
 - Selectable team names or scrolling message
- Main keyboard surcharge



- BT6330 Alpha** - Viewing distance 150m
- Size (L x H x W in mm) 3900 x 2000 x 80
 - Weight 120 kg
 - Game clock / local time / score
 - Time-out indicators / penalty indicators
 - Period number
 - Team fouls
 - Individual fouls indicators with fixed player numbers
 - Fouls with player number
 - Two penalty countdown per team
 - Selectable team names or scrolling message
 - Service indicator / End of period indicator
 - Result of the previous sets
 - Won sets
- Main and secondary keyboard surcharge

Main keyboard - Pocket keyboard



- BT6002C** - Possession time display for 24 seconds
To be linked to a BT 6000 or independent.
Wireless communication
- Size (L x H x W in mm) 410 x 305 x 113,5
 - Weight 4,5 kg
 - Game clock
 - Viewing distance : 90m | 24s + 14s keyboard included (connected to main keyboard)

Complies with European standard EN1270

Protection pads




S30401 - Protection pads 2m high, used for post from 80mm to 115mm. External dimensions : 200 x 200

S20411 - Protection post 2m high, used for post from 100mm to 115mm. External dimensions : 400 x 400

S14511 - Protection post 2m high, used for post 140 x 140mm. External dimensions: 300 x 300


Option: logo or advertisement printed on.
Other dimensions on request.

Backboards




S14522

Fiberglass fan shaped backboard 1120mm x 775mm



S14521

Fiberglass backboard 1200mm x 900mm



S14530

Fiberglass backboard 1800mm x 1050mm



S14535

Tempered glass backboard 1800mm x 1050mm thickness 15mm

Wall mounted goals

Wall mounted basketball goal supports are made of steel.
Projection : 0.6m. Fan shaped backboard S14522, standard ring S14333 O and net 5mm S14850



S14111 - Wall fixed goals



S14115EZW - Wall mounted goal, height adjustment by crank handle (not included) from 2.60m to 3.05m

S14501 - Crank handle for S14115EZW



S30530 - Balls carrying cart

S50810 - Balls carrying net (10 - 12 balls)
Other capacities: 1 ball; 2-3 balls; 4-5 balls; 6-8 balls on request

Rings

Complies with EN 1270

18mm solid steel ring with 12 net hooks (except anti vandalism ring)



S14310 O
Anti vandalism ring

S14310GC (Galvanised)



S14364 O
Flexible basketball ring, 2 springs




S14333 O
Standard ring with 2 reinforcements



S14335 O
Standard ring with 4 reinforcements



S14365 O
Flexible basketball double ring, 2 springs. Tube-tie net fixing



Nets

Our nets are polypropylene white color (except S14870), fixation cord included.



S14825
Thread 2.5mm



S14850
Thread 5mm



S14855
Thread 5mm antiwhip model



S14860
Thread 6mm with fringe



S14866
Thread 6mm



S14870
Cable net made from 5mm galvanised steel coated cable

● Basketball net can be used for netball posts too.

Complies with EN 749

Size: 3m x 2m. Arches and ground bar in galvanised steel 30x30mm. Powder coated. Delivered with PVC net hooks and anchor systems/sockets with caps.

Training Goals

Made in 80mm x 40mm tube, white powder coated

S16032

Freestanding galvanised steel goal, 2 fixed anchors by goal

S16037

Socketed galvanised steel goal, 2 fixed anchors by goal, sockets with caps ref S16541ZZ included




Competition Goals

Made in 80mm x 80mm tube, red and white powder coated, ground bar and anchors included.

● In substitution we can also propose arches 50x50mm

Freestanding Goals



S16211 - Galvanised steel goal

S16212 - Aluminium goal ☐

S16231 **NEW**

Fully welded galvanised steel goal.

Socketed Goals



S16216 - Galvanised steel goal (sockets with caps ref S16557BR included)

S16217 - Aluminium goal ☐

S16236 **NEW**

Fully welded galvanised steel goal (included a set of 4 connectors - see page 20 + 4 sockets with caps ref S16557BR included)

Option: sockets with caps specially designed for gyms, see ref S16359BR page 20

Complies with EN 749

Delivered with PVC net hooks and anchor systems/ground sockets with caps

Aluminium folding competition goal



S16271 - Foldable goal

Size : 3m x 2m. Made in 80x80 aluminium tube, red and white powder coated.

Arches and ground bar in aluminium tube 60x30 and 40x40.

The aluminium profile has been especially designed for its strength with a connector which allows a solid and effective junction between the crossbar and the uprights



Steel wall folding goal

Made in 80x80mm square steel. Red and white powder coated. Foldable arches in 50x50mm and 40x40mm steel. 2 wheels with safety pins.

Locking system for stop and game position. Delivered with PVC net hooks.

Important: all of our frames are fully welded (can be changed by dismantled frame).

All of our frames are painted (no adhesive).

S16251 - Galvanised steel fully welded foldable goal, adjustable depth from 0.9m to 1.5m

S16256 - Galvanised steel fully welded foldable goal, adjustable depth from 1.5m to 2.1m



Accessories

S16330EZ - Set of 4 movable anchors for tube 30 x 30mm

S16541ZZ - Set of 4 galvanised ground sockets + caps for training goals (80mm x 40mm). Usable depth 350mm, total depth 400mm

S16557BR - Set of 4 aluminium ground sockets + PVC caps for competition goals (80mm x 80mm). Usable depth 350mm, total depth 400mm

S16591ZZ Set of 4 connectors for monobloc socketed goal

S16359BR Set of 4 sockets with caps in aluminium for square tube 80mm. The socket collar allows the cap to be on ground surface (recommended for gyms)



S12361
PVC hook
2 fixing point



S12363
PVC hook
1 fixing point



S12364
PVC hook for
alu goal



S16625
Set of 2 sandows
5m long to fix a pair
of handball nets



S16350
Tchouckball | Dimensions : 1m x 1m.




S50810 - Balls
carrying net (10 - 12
balls). Other capacities:
1 ball; 2-3 balls;
4-5 balls; 6-8 balls
on request




S30530
Stainless steel
balls carrying
cart

Nets


Our handball nets are made of high density polyethylene, processed with UV treatment to ensure uniform color and weather resistance. **Standard color:** Black. Other colors on request.




Twisted 2mm
Single mesh



Twisted 2mm
Double mesh




Braided 3mm
Single mesh




Braided 4mm
Single mesh

REF.	USE	Thread	Dimensions				Mesh (mm)
		Braided/Twisted	A	B	C	D	
S16820-M	Training	TW 2.0	3.12	2.04	0.84	1.08	SM 120
S16830	Training	TW 2.0	3.12	2.04	0.84	1.08	DM 120
S16832	Competition	TW 2.0	3.10	2.10	0.90	1.10	DM 100
S16862-M	Competition	BR 3.0	3.10	2.10	0.90	1.10	SM 100
S16861-M	Foldable goal	BR 3.0	3.10	2.00	0.90	1.10	SM 100
S16882	Competition	BR 4.0	3.10	2.10	0.90	1.10	SM 100
S16950	Ball stop net	BR 4.0	3.10	2.10	X	X	SM 100



Playground to play football, basketball & volleyball in free access thanks to its solidity and its compliance to the European standard EN15312



Multi-function Goals

Our multi-function goal are made from galvanised steel. Powder coated.



S18531 - Triangular reinforced bars model.
Blue powder coated



S18731V - Curved reinforced bars model.
Green powder coated



S18631 - Straight reinforced bars model.
Blue powder coated



Fixation for grids

Our multi-function goals are made from hot dip galvanised square steel. White powder coated



S18152GCW

Multi-function goal 3m x 2m
Ring height : 2.60m and 3.05m

S18811VF

Green goal net, braided 4mm. Without top
Mesh : 50mm.

Field Hockey Goal

Complies with EN 750

Our field hockey goal is made from 50mm x 2mm square zinc plated steel. White powder coated.

S22256EZW - Freestanding Goal

Size: 3.66m x 2.14m. Delivered with PVC net hooks, 2 wheels and anchor systems.

S22822 V


Hockey net in green twisted PE 2.5mm
Single mesh 45mm
Dimensions : 3.75m x 1.80m x 1.21m x 1.21m



Complies with EN 1510

All our posts are delivered with aluminium bar to fix the net (vertical bar placed along the post).
Anchor system, winch and crank handle included.

■ External winch system



■ Internal winch system



■ Accessories



S25330EZW
Steel umpire chair 1.80m high. Delivered with wooden writing tablet




S25340EZW
Right lateral chair



S25341EZW
Left lateral chair



S25645
Scoreboard for 3 sets, support in galvanised steel, powder coated.



S25357BR Set of 2 aluminium sockets with PVC caps for square post 80mm


S25363BR Set of 2 aluminium sockets with PVC caps for round post Ø90mm



Set of 2 aluminium sockets with caps. The socket collar allows the cap to be on ground surface (recommended for gyms)

S25359BR
For square post 80mm

S25369BR
For round post Ø90mm



S25595
Winch with crank handle

S25020
Simple tennis poles with adhesive tape glued on one pole to control height of the net

Machine lance-balles de tennis **TENNISMATIC®**



S28202

- Speed/Spin: 40-110km/h - Top/Back Spin
- Ball Feed Interval: 2-15 Seconds
- Power Option: DC or AC/DC
- Single/Double Court & Ball dejammer
- Ball Capacity: 300
- Favorite Memory: 24 Locations
- 24 factory-set drills/24 custom drills (all up to 16 Shots)
- Single /Double Court Drill Shots: up to 56 locations/64 locations
- LCD Display with backlight: Auto, OFF, ON
- Real Time Clock & Password protection
- Smooth Random & Multi Navigational Remote
- Programmable Sequence/Mix: 5 Horizontal & 5 Vertical Oscillation positions with automatic speed adjust (Total 25 court positions for each direction)
- 2 Line Drill/3 Line Drills

Playing: 680 x 360 x 830mm
Storage status: 520 x 420 x 650mm



S25521

Tennis balls carrying basket
Capacity: 120 balls

Tennis Mobile



S25219 - Mobile tennis post in galvanised steel. Built-in wheels allow the posts to be moved in one piece, no need to dismantle the structure every time for storage.

S25865-M - Net for mobile tennis post.



S25526

Tennis balls pick up tube

Mini Tennis



Aluminium mini tennis posts, red powder coated, steel ground bar (without net)

S25380 – long 3m
S25381 – long 4m
S25383 – long 6m

Mini tennis Net:
Braided PP 2.5mm
PVC top band.

S25933 – 3m long
S25934 – 4m long
S25936 – 6m long



Steel mini tennis posts with net, black powder coated.

S25393 – long 3m
S25394 – long 4m
S25396 – long 6m

Nets

Our tennis nets are made of high density polyethylene, processed with UV treatment to ensure uniform color and weather resistance. Nets are supplied with bottom cord.

Dimensions: 12.70m x 1.07m, 5mm PVC coated galvanised steel cable 13.8m long. 6 real double meshes.

Standard color: Black. Other colors on request.



S25820-M



S25830



S25861-M



S25866-M

Dimension 12.7m x1.07m			Banding			Tension	Note
REF.	Thread	Mesh	Top	Sides	Bottom	Galvanised cable	Including
S25820-M	TW 2.0	SM 48	PVC			5mm	
S25830	TW 2.0	6 DM 48	PVC			5mm	Center strap
S25861-M	BR 3.0	SM 45	PES			5mm	Center strap
S25866-M	BR 3.0	SM 45	PES	PVC	PVC	5mm	Center strap
S25871	BR 3.0	6 DM 45	PES			5mm	Center strap
S25876	BR 3.0	6 DM 45	PES	PVC	PVC	5mm	Center strap
S25877	BR 3.0	6 DM 45	PES	PVC	PVC	5mm	Dowels + Center strap
S25881-M	BR 4.0	SM 48	PES			5mm	Center strap
S25886-M	BR 4.0	SM 48	PES	PVC	PVC	5mm	Center strap
S25898	BR 4.0	6 DM 48	PES	PVC	PVC	5mm	Dowels + Center strap. Tapered Bottom (shorter mesh at the center)

■ SM: Single Mesh

■ DM : Double Mesh



S25898

Model high competition such as Melbourne Tennis Open. Bottom Meshes are reduced to give a perfect design such as on the drawing below.



Net Accessories



S25310
Headband, vinyl band with eyelets and cord.



S25311
Headband, PES band with eyelets and cord.



S25530
PES strap with PVC single buckle and hook



S25532
PES strap with velcro tape and steel hook



S25325
Replacement cable 5mm, 13.80m long



S25316
Socket for net adjuster strap




S55660 - Model 60% wind stop, green monofil PE, UV treatment. PVC bands and eyelets (2 per meter) on perimeter
Standard height: 2m
Also available in blue

S55670VF - Model 70% wind stop, dark green tape PE, UV treatment. PVC bands and eyelets (2 per meter) on perimeter
Standard height: 2m.
Only available in dark green

S56690 - Windscreen closed at 90%, green tape PE, UV treatment. PVC bands and eyelets (2 per meter) on perimeter
Standard height: 2m
Also available in blue

S75306 - Package of 80 black collars



S55660



S55670



S55020 - Black printed standard letter 0.2m high

S55027 - Black printed standard letter 0.27m high

S55040 - Black printed standard letter 0.4m high

S55080 - Black printed standard letter 0.8m high

S55100 - Logo or other dimensions

Our badminton posts are made from 40mm square steel. White color.



Counterweight fixation

S27020

Socketed posts with ground sockets

S27021

Badminton post with 12kg base.

S27040

Badminton post with 20kg base.

S27045

Model S27040 + 20kg base and counterweight of 20kg

S27060

Central badminton post with 2 bases of 12kg each.



Sodex Products at Hanoi Fleet

Complies with EN 1509

Our badminton posts are made of 40mm square steel. White powder coated. All are adapted for disabled players.



S27220
Socketed posts with ground sockets.

S27240
Badminton post with 60kg base.

NEW
S27280
Competition Badminton post, ground-fixed by footing pattern



S27263
Central badminton post with 2 posts. Adjustable distance between 2 posts from 840mm to 1140mm.

<min. 840 max. 1140>

International requirement:

The net falls straight along the post
Perfect tension net
Post : disabled player position.
Central post must respect a minimum distance between 2 badminton fields.



French Institute of Sport Education

■ Badminton umpire chair



S27350
Steel badminton umpire chair, 1.50m high


■ Badminton nets



S27840 Training net.
Dimensions 6.02m x 0.76m,
Ø 0.75mm. Mesh size 20mm.



S27850 Training net.
Dimensions 6.02m x 0.76m,
Ø 1mm. Mesh size 20mm.



NEW
S27875
Competition nets with velcro tapes




BTX6015 - Badminton electronic scoreboard
Viewing distance 60m
• Size (L x H x W in mm) 1079 x 385 x 90.5
• Weight 8 kg
• Game clock / local time / score
• End of period indicator
Pocket keyboard included
Optional tripod stand



BT6015 - Club Badminton electronic scoreboard
Viewing distance 60m. Wireless communication
• Size (L x H x W in mm) 1150 x 750 x 80
• Game clock / local time / score
• Game stop and time-out indicators
• Period number • Team fouls
Club keyboard surcharge

Our frame is made from 35mm square steel pipe. White powder coated
 Seat, back, coat rail (4 hooks per meter) and bag rail are in reinforced aluminium blue powder coated
 Other colors on request. Standard length : 2m



S36051 - Simple bench, fixed on wall, 2m long

S36053 - Bench with back, fixed on wall, 2m long

S36054 - Central bench with back, 2m long

S36055 - Bench with back & peg rail, fixed on wall, 2m long

S36056 - Central bench with back & peg rail, fixed on floor, 2m long

S36057 - Bench with back, peg rail & shelf, fixed on wall, 2m long

S36058 - Central bench with back, peg rail & shelf, fixed on floor, 2m long

S36040 - Aluminium peg rail, 4 coat pegs per meter, 2m long

S76640
Reinforced coat peg



S36051



S36053



S36054



S36055



S36056



S36057



S36058



S36040



S76640

Complies with EN 1271

Round or square profile. Height adjustment for juniors, ladies and men: 2.1m, 2.24m, 2.35m, 2.43m.
 All delivered with ground sockets.

■ Training



S30112
80 x 80mm **aluminium** posts.
White powder coated, manual tension system.



Stainless steel sliding system for height adjustment



S30158
Ø90mm **aluminium** posts.
White powder coated, manual tension system.



S30161
90mm steel posts.
Tension system by winch with crank.



S30052V
Portable volleyball posts with empty counterweight.
Made in steel tube Ø76mm and Ø60mm. Green powder coated. Manual tension system. Transport on wheels.



S30181
90mm steel central post with double sliding net mechanism.
Tension system by winch with crank.

■ Competition



S30251
Ø90mm steel competition posts.
Tension system by winch with
crank. Winch towards the outside.



S30359 - Base for portable volleyball posts
White powder coated. Counterweight 300kg in cast iron.
With protection pad thickness 20mm. Transport on wheels.
Best solution for gym's ground.



S30220
Ø90mm steel competition posts.
Height adjustment by crank. Best
suitable for base ref. S32355



S30427
Steel umpire chair, white powder coated, protection pad included



S30425EZW
Zinc-plated steel umpire chair,
white powder coated, height of
standing platform 1.28m



S25595
Winch with
crank



S30357BR
Set of 2 aluminium
sockets with PVC
caps for Ø90mm post



S30359BR
Set of 2 aluminium sockets with caps for
Ø90mm post The socket collar allows
the cap to be on ground surface (recom-
mended for gyms)



S30454
Freestanding storage racks for 4 pairs
of posts, wooden plank included



S30432
Wall brackets for 2 pairs of posts

S30433
Wall brackets for 3 pairs of posts

S30434
Wall brackets for 4 pairs of posts

S30435
Wall brackets for 5 pairs of posts



S30730
Replacement cable 5mm,
12.18m long



S30401
Square protection pads, 2m high.
For volleyball post Ø 80mm -
115mm.
External dimension : 200 x 200



S30402
Round protection pad, 2m high.
External dimension: Ø215mm

S30611
Composite antennas,
1.80m long



S30715
Antennas velcro
pockets



S30530
Stainless steel balls carrying cart



S30532
Ball chariot in powder coated steel
with transport wheels



S50810
Balls carrying net (10 - 12 balls)
Other capacities: 1 ball; 2-3 balls;
4-5 balls; 6-8 balls on request



BTX6015 - Volleyball electronic scoreboard
Viewing distance 60m
• Size (L x H x W in mm) 1079 x 385 x 90.5
• Weight 8 kg
• Game clock / local time / score
• End of period indicator
Pocket keyboard included
Optional tripod stand



BT6015 - Club Volleyball electronic scoreboard
Viewing distance 60m. Wireless communication
• Size (L x H x W in mm) 1150 x 750 x 80
• Game clock / local time / score
• Game stop and time-out indicators
• Period number
• Team fouls
Club keyboard surcharge

Our volleyball nets are made of high density polyethylene, processed with UV treatment to ensure uniform color and weather resistance. Nets are supplied with bottom cord. Tension net by cord or 5mm PVC coated galvanised steel cable 12.18m long.

Standard color: Black.



VOLLEYBALL NETS								
REF.	Dimension	Thread	Mesh	Top Banding	Sides	Bottom	Top tension	Including
S30820-M	9.5x0.9m	TW2.0	SM100	White PVC			Cord 4mm	
S30830-M	9.5x1.0m	TW2.0	SM100	White PVC			Galvanised Cable 5mm	Side tapes
S30850-M	9.5x1.0m	BR3.0	SM100	White PVC			Galvanised Cable 5mm	Side tapes
S30857-M	9.5x1.0m	BR3.0	SM100	White PVC	White PVC	White PVC	Galvanised Cable 5mm	Side tapes + side cord
BEACH VOLLEYBALL NETS								
S32820-M	8.5x0.9m	TW2.0	SM100	Green PVC			Cord 4mm	
S32856-M	8.5x1m	BR3.0	SM100	Yellow PVC	Yellow PVC	Yellow PVC	Galvanised Cable 5mm	

■ SM : Single mesh



S30820-M
Twisted 2 mm. Tension by cord for manual tension.



S30830-M
Twisted 2 mm. Tension by cable.



S30850-M
Braided 3mm. Tension by cable.



S30857-M - Competition net complies with FIVB


Braided PE 3 mm , vertical bar inside lateral band.

💡 FIVB regulations:

Top band 7cm with a hole at each extreme for tension cord. Lateral and bottom band 5cm. Bottom band with cord. Side band 5cm placed above each line. The antenna is fastened at the outer edge of each side band.

Our beach volleyball posts are similar to our indoor model, but with a special ground anchor to stabilize the post in the sand. Made from steel tube Ø90 white powder coated. Height adjustment for juniors, ladies and men: 2.1m – 2.24m – 2.35m – 2.43m

All are delivered with galvanised anchor system



S32365
Beach volleyball court-lines
5cm wide, supplied with
sand anchors.



S32351ZZ
Galvanised anchor system for beach
using

S32158 - Beach volleyball posts
in aluminium tube Ø90. Tension
system by capstan. Anchor system
S32351ZZ included



S32251 - Competition posts
Tension system by external
winch with crank. Anchor system
S32351ZZ included



S32820-M
Twisted PE 2 mm. Dimension: 8.5m x
0.9m. Green vinyl headband. Tension
by cord, 12.50m long.
More information on page 33



S32856-M - Competition net
Braided PE 3 mm. Dimension: 8.5m x 1m. Yellow band on perimeter.
Tension by cable, 11.18m long. More information on page 33
On option: Advertising logo printed on the top head band.

S30425EZW
Zinc-plated
steel umpire
chair, white
powder
coated, height
of standing
platform 1.28m



Aluminium connections for Ø60mm posts.

Other diameters on request. Not painted.



S74820BR
T-shaped 2
mounting holes
connection with
fixing rivet.



S74836BR
3 mounting holes
in line connec-
tion with fixing
rivet.



S74160BR
2 mounting holes
connection with
fixing screw,
90-degree angle
(This model fits
into the tube)



S74162BR
2 mounting holes
connection with
fixing screw,
90-degree angle
(enveloping
model).



S74750BR
3 mounting
holes connection
with fixing rivet,
90-degree angle



S74754BR
3 mounting holes
connection,
with fixing rivet,
variable angle

Zinc plated steel element to fix railing on 60mm posts

Other diameters on request.



S72260EZ
End short model. Zinc
plated plate 30mm
large



S72360EZ
Intermediary short model.
Zinc plated plate 30mm
large

All our nets are made of High Density Polyethylene, processed with UV treatment to ensure uniform color and weather resistance



Diameter of thread: from 1.2 to 4mm in Twisted or Braided rope
Dimensions: according to your requirement
Mesh size: 20mm – 200mm
Colors : White, black and dark green
Finish: Overlocked or without overlocked (last mesh corrected)

Main references for surrounding nets	
REF.	Nets in polyethylene. Dimensions on request
S77015-20	Twisted 1.5mm mesh 20mm
S77020-25	Twisted 2.0mm mesh 25mm
S77020-45	Twisted 2.0mm mesh 45mm
S77025-48	Twisted 2.5mm mesh 48mm
S77025-100	Twisted 2.5mm mesh 100mm
S77025-120	Twisted 2.5mm mesh 120mm
S77025-130	Twisted 2.5mm mesh 130mm
S77025-145	Twisted 2.5mm mesh 145mm
S77130-45	Braided 3.0mm mesh 45mm
S77130-100	Braided 3.0mm mesh 100mm
S77130-120	Braided 3.0mm mesh 120mm
S77130-130	Braided 3.0mm mesh 130mm
S77130-145	Braided 3.0mm mesh 145mm
S77140-100	Braided 4.0mm mesh 100mm
S77140-145	Braided 4.0mm mesh 145mm




S73754V
Tightener for steel cable D5mm

S75030
Plastic net holder
Available color: green, black, white
Diameter: 7mm.
Large opening to easily fix the net

Accessories

Accessories	
S72010	Galvanised steel coated cable diam 5 mm
S73754V	Tightener for steel cable D5mm
S75030	Plastic net holder

Complies with EN 13200-6
Our benches are made from 40mm square steel pipe. White powder coated.
Seat and back-bar in aluminium 80x20mm blue powder coated. Plank in antislip wood



Aluminium seat
profile view



Benches

Rubber floor protection
4 transport wheels Ø 80 mm (2 swivel wheels)

S35630
3 rows, capacity 12 persons.

S35640
4 rows, capacity 16 persons.

S35650
5 rows, capacity 20 persons.



Railings

S35632
Railing for 3 rows.

S35642
Railing for 4 rows.

S35652
Railing for 5 rows.



Stairs

Our stairs are made with 2 supplementary seats on the top.

S35631
Stairs for 3 rows.

S35641
Stairs for 4 rows.

S35651
Stairs for 5 rows.

Our products are made from hot dip galvanised steel, grey and blue powder coated. Mounted on ground. We provide 3 ranges: Cardio, Work-out and Stretching.

■ CARDIO



S80002 - Elliptical trainer



S80003 - Surfing board



S80004 - Rambler



S80022 - Upright rider

■ WORK-OUT



S80005 - Parallel bars



S80006 - Leg stretcher



S80009 - Bony rider



S80011 - Rowing machine




S80014 - Pull chairs



S80017 - Push chairs



S80010 - Pull up tree



S80015 - Suspension



S80016 - Traction

■ STRETCHING



S80007 - Taiji wheels



S80008 - Twister



S80013 - Arm wheels



S80020 - Coxwain + steering

New outdoor fitness conform to European Norm NF EN 16630.
The main frame made of steel with hot-dip galvanised and powder coated.

■ CARDIO



S80102 - Elliptical trainer



S80103 - Surfing board



S80104 - Rambler



S80112 - Upright rider

■ WORK-OUT



S80101 - Sit up bench



S80105 - Parallel bars



S80106 - Leg stretcher



S80111 - Rowing machine



S80109 - Pull chair



S80110 - Push chair

■ STRETCHING



S80107 - Coxwain + steering



S80108 - Twister