Janssen-fritsen Gymnastics

DYNAMICS AND IMPULSES FOR GYMNASTICS

The potential of creative development and performance improvement in gymnastics depends directly on the technical progress in the construction of gymnastic apparatus. Here the names Janssen-Fritsen and Reuther rank among the authoritative pulse generators. They are the founders of the initial tension at gymnastic apparatus as a constructive element ensuring the motion sequence of the gymnasts and their safety.

All over the world people nowadays do gymnastics on Janssen-Fritsen apparatus that has been developed originally by Reuther. The wide area of application ranges from the equipment for international competitions up to sports clubs and schools. The Janssen-Fritsen collection contains the competition sports such as artistic gymnastics, rhythmic gymnastics, acrobatics, tumbling and aerobic gymnastics as well as Janssen-Fritsen 'Just for Kids' to build versatile exercise areas suitable for children.

The company is considered to be a specialist in equipping training centres and supporting the responsible persons with its great experience from planning up to realisation.

Are you interested? Please contact us. We will be happy to advise you!




Janssen-Fritsen Gymnastics

Berkveld 1, P.O. Box 77 - 5700 AB Helmond the Netherlands Telephone: +31 492 530930 E-mail: export@janssen-fritsen.com www.janssen-fritsen.com

It is the strategy of Janssen-Fritsen to continuously develop and improve our products. We therefore reserve the right to change specifications, models and our product range without prior notice. Although this catalogue has been prepared with the utmost care, we cannot assume any responsibility for any possible faults or wrong information.

The publication of this catalogue makes all previous catalogues null and void. Copyright Janssen-Fritsen.

table of contents





IMPULS AIRMATS

With the new Air Products a lot of methodical exercises can be repeated more often, more comfortable and with extra impulse. This product range consists of 6 different Air Mats:

• Airmat 'Impulse floor': teaching aid (e.g. balance beam) and provides greater comfort for floor exercises. Available in a 2 m and 4 m version.

- Airmat 'Impulse Square': for training jumps and floor exercises
- · Airmat 'Impulse board': more comfortable training and gives greater rebound for young and lighter gymnasts
- Airmat 'Impulse Cylinder': for learning various acrobatic exercises
- · Airmat 'Impulse Incline': comfortable training for jumps, floor exercises, uneven bars and parallel bar

For more information see page 51-52






REF. 1790760 18 m

Tumbling track 'Antwerp'-15 elements

With new spring technology and excellent dynamics

If you don't have enough budget or space for a complete floor, we have developed a special tumbling strip with exactly the same characteristics as our well known top competition FIG free exercise floor Apollo Antwerp. This floor is available in 3 standard lengths of 12, 14 and 18 meter, but can off course be adjusted to your specific requests.









VAULTING TABLE 'NEW PEGASES'

REF. 1407304

FIG certified ORIGINAL REUTHER.

- Simple height adjustment 95 until 135 cm
- Including transport trolley
- Used at the World Championships Antwerp 2013
- For training and competition use
- Perfectly adaptable to all floor surfaces







TRANSPORT SYSTEM

REF. 2203349

- For Vaulting Table 'Pegases'.
- With non-marking plastic rolls.









FOAM VAULTING TABLE

REF. 1407164

- 3-piece foam vault for vault training
- Launch surface made from non-slip artificial leather
- Floor size 90x75 cm
- With Velcro connector
- Possible heights 50, 75, 100, 125 cm

ADDITIONAL FOAM BLOCK

REF. 4172705

Additional foam block 90x75x40 cm, to make more height variations.

- Sturdy heightener
- · Raises Foam vaulting table in height
- Number of heights possible
- More variation possible





PEGASES TEAM GYM

REF. 1407314

Same as the Competition Vaulting Table but with height adjustment suitable for TeamGym

- Height adjustable from 125-165 cm
- Simple height adjustment
- Including transport trolley



TRAMPOLINE TEAM GYM

REF. 1411050

- A springboard trampoline for top-level sport, highperformance acrobatics, show groups
- Shock absorbing and stable frame pads
- Particularly high stability and durability
- Extraordinary performance
- Jumping bed (60 x 60 cm) made of 6 mm wide nylon strands
- Adjustable in height 23,7 28.5 cm
- 36 steel springs (length 185 mm, Ø 32 mm) galvanized



SOFT TRAINING COVER NEW 'PEGASES'

RFF. 1407120

Soft protective cover to relieve joints

- Protects Pegases from wear
- Increases absorption
- Simple to fit and to remove
- Allows more repetition
- Extends the working life of your apparatus



VAULTING TABLE 'PEGASES JUNIOR'

REF. 1407198

Learning to jump without fear

- Ergonomic and larger contact surface for greater confidence
- Shock-absorbing active foam spring-action
- Supple, easy adjustment
- Sturdy hard-wearing rubber feet
- · Fine adjustment and castors included

PEGASES 'CLUB'

REF. 1407174

- Training vault with height adjustment
- Easy to move, integrated wheels
- Height adjustment using gas spring from 90 until 135 cm
- Also for school use





REF. 1407210

FIG certified ORIGINAL REUTHER.

- Simple height adjustment with gas springs 100 until 140 cm
- Improved resilience
















TRAMPOLINE SPRINGBOARD

The equipment to learn vaulting on a springboard

- Spring board with springs and jumping bed similar to mini-trampoline
- Main goal is to make the transition from mini trampoline to competition springboard an easier one
- Can be used as a springboard
- Max 60 kg

REF. 1411331



SPRINGBOARD MINI

REF. 1411754

- Age 4 8 years
- No vaulting experience
- Up to 40 kg



WM SPRINGBOARD 'JUNIOR'

REF. 1411758

- Age 6 12 years
- Basic vaulting experience
- Up to 40 kg
- With adapted top
- Designed specially for schools and clubs for juniors



SPRINGBOARD FUGA

REF. 1411784

Raised springboard for greater rebound

- Methodic learning boards
- Ergonomic shape for learning correct vaulting stance
- Extra bounce at a lower initial vaulting force
- Lower impact on joints
- More basic height for more confidence
- Up to 60 kg



SPRINGBOARD UPHOLSTERED

REF. 1411764

- Age 10 14 years
- Limited vaulting experience
- Up to 80 kg
- Covered Reuther basic board



SPRINGBOARD 'STRASBOURG'

REF. 1411768

- Age 10 14 years
- For more experienced vaulters
- Up to 80 kg
- Extra rebound Reuther springboard
- Further develoment of the springboard 1411764
- Higher rebound effect



SPRINGBOARD 'BUDAPEST'

REF. 1411774

- Primary and secondary schools, and gymnastics
- Up to 95 kg
- All-round board with very good properties

Janssen·fritsen— TOP COMPETITION UNEVEN BARS 'MEXICO'

UNEVEN BARS 'MEXICO' TOP COMPETITION

REF. 1383104

FIG certified

- Double tensioning with tensioning sliders
- High upright 230 to 280 cm
- Low upright 150 to 200 cm
- Width diagonal 110 to 185 cm
- Competition marking on width adjuster
- Castors included











RAIL

REF. 2202200

Spare rail for FIG competition uneven bars

- Fibreglass bar with beech veneer
- With casted end tips



UNEVEN BARS SAFETY PADDING

REF. 1566014 per piece

Protection for the standards of FIG uneven bars

- FIG-approved padding
- Preshaped foam
- Soft felt exterior layer
- Easily fitted
- 4 pieces required per set of uneven bars



GYMBLOCK

REF. 1540188

Medium gym block with durable lightweight filling 75x45x60 cm

- Washable Bisonyl
- Easy to move around
- Useful as step-up block
- Can be used as a trainer platform
- Can be used in 3 positions
- Mandatory in competitions




REF. 1383199 per piece

- To raise the competition Uneven Bars by 10 cm when necessary
- Per piece, 2 pieces required for 1 Uneven bar
- Size 120x18x10 cm
- Mandatory at FIG competitions

FOR COMPETITION LANDING MATS SEE PAGE 38-39. FOR FIG-NORMS SEE PAGE 43

For more information please contact us.





TENSION SYSTEM FOR UNEVEN BARS 'CLUB'

REF. 2203314

Tension system for uneven bars 'Club'



FRAME MAT

REF. 2240866

Blue landing mat for uneven bars 'Club' stand-alone, 20 cm thick

- Uneven bars can be moved with mat
- Mat can be coupled to standard competition mats
- With Velcro on the long sides
- Fits over the cross beams of the uneven bars stand-alone
- Also available 30 cm thick (1383121)



PROTECTION ROLL

REF. 1383070

Soft protection roll for uneven bars' rail. Fixation by means of velcro. Diameter 8 cm, length 70 cm.



383124

REF. 1383124

Uneven bars stand-alone for training. Width from 130 to 205 cm.

FREESTANDING UNEVEN BARS 'CLUB'

- Stand-alone without tensioning
- Quickly adjustable
- Smoothly adjustable width, per 5 cm
- With built-in transportsystem
- Can also be used with tensioning cables (optional)
- Can be used with one men's horizontal bar (4140705)

PROTECTION PAD

REF. 1760303

- U-shaped with HD foam
- Washable bisonyl
- · Hand grip and Velcro fastening
- Quick to fit
- Length 140 cm







DOUBLE REBOUNDER 'JUST FOR KIDS'

REF. 1403414

- 1 bar and two rebound elastic cords
- Methodic equipment for boys and girls
- Handstand, posture
- High frequency, low impact
- Mat can be ordered seperatly (1403464)

UNEVEN BARS 'CLUB'

REF. 1383128

Uneven bars training with tensioning, without intermediate bars under the rail

- Rails with quick-lock fittings for rapid replacement
- Height adjustable at chest height
- Easy to operate spring-assisted sliding tubes
- Ideal above landing pit
- The rails can be replaced by a special rail for a horizontal bar. (ref. 4140705)
- · Castors included

COACHING PLATFORM 'CLUB'

REF. 1490370

For uneven bars and horizontal bar

- Is not attached to the equipment and does not influence its characteristics
- Folds up automatically out of the way
- Platform adjustable in height with non-slip surface
- Sturdy floor anchoring and also for use above a landing pit
- Size board 140x50 cm



BALANCE BEAM 'LAUSANNE' TOP COMPETITION

REF. 1414204


FIG certified

FIG certified competition balance beam


- Aluminium beam with hygroscopic top layer
- Double shock absorption
- Soft end caps
- Length 500 cm width 10 cm
- Height adjustment from 75 to 125 cm
- Padding optional, to be ordered seperately (1566074)

The Balance Beam is one of the most difficult gymnastics apparatuses in women's artistic gymnastics requiring great concentration and the highest training frequency. Therefore, along with the competition Balance Beam Janssen-Fritsen has developed a number of training Balance Beams with an extra soft top upholstery aimed to reduce the peak forces during dismounts and landings. As a result a training frequency with reduced impact on the joints can be achieved.

The Balance Beams from our 'Club' series, featuring a simple height adjustment by means of a nitrogen gas loaded spring and a soft top upholstery, are the ideal training apparatus available both in competition width of 10 cm and in special width of 20 cm for basic training purposes.











BALANCE BEAM LEG PADDING

REF. 1566074

Padding for competition beam, per leg

- FIG approved padding
- Preshaped foam
- Soft felt exterior layer
- Easily fitted



TRANSPORT TROLLEY


REF. 1522084 Per piece

For balance beams, pommel horse etc.

- Can be used for multiple apparatuses
- Non-marking double ball-bearing swivel wheels
- Impact-resistant epoxy varnish
- No sharp edges

FOR COMPETITION
LANDING MATS
SEE PAGE 38-39.
FOR FIG-NORMS SEE
PAGE 43

For more information please contact us.





TRAINING BEAMS

REF. 1414078 300 cm wide 10 cm REF. 1414044 500 cm wide 10 cm 500 cm wide 20 cm REF. 1414118

- Comfortable soft top
- On low feet
- For use anywhere in the gym
- Learning to balance on a real beam
- Length 500 cm



• janssen fritsen


SURFACE ENLARGEMENT

REF. 1414100 length 200 cm REF. 1414105 lenath 300 cm

Doubles the width of the beam

- Pre-shaped for a perfect fit
- Easy to attach
- For safer landing
- Allows more repetitions
- For practising new elements





- Fits all balancing beams
- · Reduces the peak loads

BALANCE BEAM 3 M FOR TRAINING, MADE OF FOAM

REF. 1540310

- · Foam balance beam with white marking in the middle of working area
- · Length 300 cm, width of the working area 15 cm, width of the base 25 cm, height 8 cm
- Velcro band on downpart for fixation onto landing mats
- With velcro adaption at the ends to attach further balance beams

ROLLABLE BALANCE BEAM

REF. 1495297

Foam practice beam 500x10x2.5 cm

- Ideal for practising at home
- Both lenght and width are identical to those of a competition beam
- Easy to store
- Elastic surface
- · Safe practising







FREE EXERCISE FLOOR 'ANTWERP'

REF. 1790750

FIG certified

- New spring system for an optimal rebound
- High performance base increases comfort
- High quality foam layer for a fast respons
- With the unique "Springs & Security System"
- Optimal shock absortion to prevent injuries
- Increased safety
- Less stress on gymnasts body, even when practising daily
- Also available in other dimensions
- Perfectly connectable with our club floor





Dynamics:

- A new spring system guarantees an optimal rebound
- The high performance base of 12x12 m offers increased comfort
- A high quality foam layer for a fast response

Security:

- High quality finished water resistant coated plywood (FSC)
- Resilient coupling strips, improved tongue and groove system, together with a system of 24 tension straps to lock the sections
- An intermediate layer of high quality foam provides progressive absorption qualities and guarantees the best comfort at landings
- Height 20 cm for a perfect integration in training halls
- Perfectly suitable for all ages and levels
- A new product with exceptional rebound characteristics on the entire surface that allows all gymnasts to always find optimal conditions

Technical details:

Dimensions:

- 14x14 m, dynamic surface
- Competition area 12x12 m
- Height 20 cm
- Comes semi-assembled





FOR MORE
INFORMATION
PLEASE ASK FOR
OUR DETAILED
PRODUCT
INFO SHEETS.

Janssen fritsen— TOP COMPETITION POMMEL HORSE "MADRID"

POMMEL HORSE 'MADRID' TOP COMPETITION


REF. 1406104

FIG certified

- Extremely stable
- Top quality leather upholstery
- Hygroscopic pommels
- With castors
- Used during the Olympic Games
- Easy to adjust
- Padding optional, to be ordered seperately [1566064]











SAFETY PADDING

REF. 1566064

For the competition pommel horse 1406104. Per set, 1 set is needed for one competition pommel horse.




POMMEL

REF. 2200525


per piece

- Aluminium pommel with hygroscopic cover • Covered with hygroscopic anti-slip rubber
- compound • Less magnesium required
- Extremely good grip





For more information please contact us.



JUNIOR POMMEL HORSE

REF. 1407068

90% of the standard dimensions of a pommel horse

- Intermediate step between mushroom and pommel horse
- For boys up to 14 years
- Pommels also 90%
- Prevents faulty posture
- 100% leather
- Perfectly adjustable to all floor surfaces

POMMEL TRUNK

REF. 1407070

Low level competition pommel horse

- Body identical to competition pommel horse
- Pommels identical to competition pommel horse
- · Feet will not damage the floor
- Real leather guarantees a long life
- Pommels simple to remove

POMMEL BENCH

REF. 1403304

For methodical learning of pommel horse exercises

- Width 45 cm to relieve the shoulders
- · Slanting position for flanks
- For simple progression from mushroom to horse
- Length ideal for Magyars
- · Supplied without pommels



THE PROBLEM

The dimensions of the "adult' pommel horse present the young gymnasts with technical problems leading them to unnatural positions. This causes incorrect stresses and injuries.

ADULT POMMEL HORSE (100%)



JUNIOR POMMEL HORSE (90%)



· For training close to the floor

- 2 rubber pommels included.

THE SOLUTION

The dimensions of the Janssen-Fritsen pommel horse are designed for the physique of young gymnasts. This enables them to do their exercises under almost the same conditions as the adult gymnasts. Training results reveal much faster progress than ever considered possible before. Thanks to well-balanced stresses, young gymnasts can acquire the right technique faster and without the risk of injuries.

MUSHROOM

REF. 1395014

Mushroom ø 60 cm without pommel

- Maximum grip
- Seamless
- Ergonomic shape
- 48 cm high
- Without centre hole

MUSHROOM

REF. 1395018

Mushroom ø 60 cm with pommel

- With synthetic pommel
- Maximum grip
- Ergonomic shape
- 48 cm high
- Promotes correct leg position

MUSHROOM

REF. 1395024

Mushroom ø 100 cm without pommel

- Maximum grip
- Seamless
- Ergonomic shape
- 48 cm high
- Promotes correct leg position

POMMEL TRAINING AID

REF. 1403314

For a smooth transition from mushroom to horse.

- Body covered in leather
- Competition pommels
- Large rubber-covered base for optimum stability
- Does not require extra rubber edging, no floor damage
- Prescribed KNGU and GymFed training material

















POMMEL PAD

REF. 1407071 per piece

Practice pads for use on the pommel bench or horse

- Ergonomically shaped
- Simple to attach firmly
- For protecting the wrists

POMMEL

REF. 2103145 per piece

- Made of plywood
- For reference 1407068

POMMEL

REF. 2200525 Competition pommel

• For references 1406104, 1403314, 1407070

REF. 2203100 Same as competition pommel but adjusted to fit references 1403304, 1395018, 1407080

RING FRAME 'ATLAS'

REF. 1384034

FIG certified

Competition ring frame with tensioners

- Unique shock absorption system
- Unparalleled stable frame
- Double pulley tensioning with tensioning sliders
- Tough laminated wooden rings
- Height adjustable from 275 to 305 cm







QUALITY REFERENCE

Adjustable suspension by integrated cushioning module allowing individual setting of cushioning degree.

RING/STRAP/CABLE

REF. 4144541 per piec

Replacement for competition ring frame 1384034.

HOOK

REF. 1760308

Aluminium hook with clips, to fix the hook on the wall or on the ring frame. Length $190\ \mathrm{cm}.$

SAFETY PADDING

REF. 1566044 per piece

For the competition ring frame 1384034.

Per piece, 2 pieces are needed for one competition ring frame.



GYMBLOCK

REF. 1540188

Medium gym block with durable lightweight filling 75x45x60 cm

- Washable Bisonyl
- Easy to move around
- Useful as step-up block
- Can be used as a trainer platform
- Can be used in 3 positions



FOR COMPETITION
LANDING MATS
SEE PAGE 38-39.
FOR FIG-NORMS SEE
PAGE 43

For more information please contact us.



CEILING RING SYSTEM 'ATLAS'

REF. 1384054

A competition ring set with shock absorber

- No tensioning cables in your gym
- Shock absorption and bounce of a competition ring set
- Ideal for training halls

Attention: details of ceiling height and roof structure are required to determine the right type of fixation and the length of the inox cables.

TRAINER CONSOLE RINGS

REF. 1490372

- Is not attached to the equipment and does not influence the characteristics
- The platform automatically tips up because of the nitrogen gas loaded springs
- Platform adjustable in height with non-slip surface
- For use with rings or over landing pits
- Console must be bolted on the floor
- Height adjustable 137-197 cm







POWER BENCH

REF. 1403248

Freestanding bench with rings and trolley

- Strength development for shoulders
- Also for chest and back muscles
- Preparation for cross and hang
- Height adjustable
- Safe trolley with bearings



WALL BARS SUPPORT

REF. 1403234

Foldable support to supplement wall bars exercises

- Fits every type of wall bars
- Suitable for pull-up exercises
- For use with set of rings
- Easy to store away
- Ideal for methodic training

FIFTY-FIFTY EQUIPMENT REF. 1403250

Pulley set with cord and rings

- For use with set of somersault belts (see page 47)
- Helps the learning of ring positions more quickly
- Makes training assistance simple
- · Ideal for methodic training



CEILING RINGS

REF. 1282300

With swivel rings for attachment to the ceiling

- Non-twist cable suspension
- The solution for methodic rings
- For direct attachment to the ceiling
- Various lengths available on request

PARALLEL BARS 'PALLAS'

REF. 1403104

FIG certified


- Stable in all directions
- Metal head and gooseneck
- One-handed height and width adjustment
- Shock absorbent bars
- Used during the Olympic Games in Beijing
- Padding optional



Parallel bars have always been the pride of our brand

Richard Reuther developed the bars with 3 fibreglass inserts and initial tension. Due to initial tension the bars are provided with optimal resilience thus supporting the swings of a gymnast.

The Reuther knee with axial and horizontal support ensures the equal elasticity of bars regardless of the width set. In combination with the improved base frame and steel clamping lock the Reuther parallel bars feature great stability and extreme elasticity.







RAIL

REF. 2202555 per pair

Replacement bars for competition parallel bars

- Pre-drilled bars
- Pre-tensioned 3 fibreglass cores
- · Can only be replaced per pair
- Make your parallel bars new again
- Please always contact us in advance





PARALLEL BARS SAFETY PADDING

REF. 1566024

per piece

Competition padding for the uprights

- Easily fitted
- 4 pieces required per set of parallel bars



TRANSPORT SYSTEM

REF. 1404015


For transport of all JF parallel bars

- Safe movement without castors being required
- 1 trolley for all parallel bars
- Width easily adjustable

FOR COMPETITION LANDING MATS SEE PAGE 38-39. FOR FIG-NORMS SEE PAGE 43

For more information please contact us.





JUNIOR PARALLEL BARS

REF. 1401160 with castors and closed base REF. 1401161 with castors, without base REF. 1401162 without castors, whithout base

- Specially for schools and gyms
- Height from 105 to 165 cm
- · Width also for young children
- Extremely stable attachment of the bars
- Bars fitted pre-tensioned

FRAME MAT

REF. 2240850

- For use instead of base
- Only for 1401161 and 1401162



POWER AND COORDINATION TRAINER

REF. 1403224

For development of the correct body stance

- For use on the parallel bars
- Stabilises the spine
- Stimulates curved and straight positions
- Promotes strength in shoulders and torso
- With comfortable covering





TRAINER SUPPORT

REF. 1540184 Gym Block 90x75x60 cm **REF. 1540188** Gym Block 75x45x60 cm

- Washable Bisonyl
- Easy to move around
- Useful as step-up block
- Can be used as a trainer platform
- Can be used in 3 positions.

HANDSTAND TRAINING AIDS

REF. 1403150 per pair

Length 40 cm.

REF. 1403160 per pair

90 cm long,

- Rounded edges
- Essential for handstand practice
- For asymmetric bars and parallel bars
- Simple to use everywhere





HIGH PARALLEL BARS

REF. 1403408

High parallel bars, 105 cm high, length of bars 250 cm

- Foldable
- Simple to use everywhere
- For methodic training



LOW PARALLEL BARS

REF. 1403404

Low parallel bars, 40 cm high, length of bars 170 cm

- Foldable
- Simple to use everywhere
- For methodic training





HORIZONTAL BAR 'MUNICH'


REF. 1384204

FIG certified

- Good pre-tensioning on the bar
- Short half-time for vibrations
- Predictable reaction on the dismount
- Safe thanks to the steel cable in the bar
- Used during the Olympic Games in Beijing
- Padding optional
- Heigt adjustable from 260 to 295 cm









TO REDUCE THE POSSIBILITY OF BAR BREAKAGE, WE STRONGLY RECOMMEND TO REPLACE RAILS EVERY 3 YEARS.



HORIZONTAL BAR SAFETY PADDING

REF. 1566034 per piece

SAFETY RAIL

REF. 4140090

- Replacement horizontal bar for competition
- To reduce the possibility of bar breakage, we strongly recommend to replace the rail every 3 years
- · High quality special stainless steel
- A worldwide unique construction of Janssen-Fritsen features an additionally built-in steel cable allowing the horizontal bar to stay in consistent tension even if the bar itself breaks down



GYMBLOCK

REF. 1540188

Medium gym block with durable lightweight filling 75x45x60 cm

- Washable Bisonyl
- Easy to move around
- Useful as step-up block
- Can be used as a trainer platform
- Can be used in 3 positions

FOR COMPETITION
LANDING MATS
SEE PAGE 38-39.
FOR FIG-NORMS SEE
PAGE 43

For more information please contact us.



HORIZONTAL BAR 'CLUB'

REF. 1384094

Simple to adjust training horizontal bar

- Specially for training
- · Very quickly adjustable in height
- Also suitable for one asymmetric bar (2202205)
- Height from 75 to 300 cm
- Also suitable for above a foam pit
- With safety lock
- New system wich makes replacement of the bar very easy
- More stability because of new foot fixation
- Special protection of cables

FIBERGLASS RAIL FOR HORIZONTAL BAR

REF. 2202205

Replacement horizontal bar for horizontal bar 'Club' and the uneven bars 'Club'

- Can also be used with horizontal bar supports (1384080)
- Replace at least once every 3 years

TO REDUCE THE POSSIBILITY OF BAR BREAKAGE, WE STRONGLY RECOMMEND TO REPLACE RAILS EVERY 3 YEARS.



METHODICAL HORIZONTAL BAR

REF. 1384224 MAG bar

Simple to adjust training horizontal bar

- Takes little space
- Specially for traininghalls no cables
- · Very quickly adjustable in height
- Also suitable for a rail of the horizontal bars
- Can also be used with fiberglas rail 2202205
- Suitable for methodical exercises
- Height 45 to 200 cm adjustable



HORIZONTAL BAR SUPPORTS

REF. 1384080

Pair of supports for horizontal bar or asymmetric bars 40 cm high

- With quick fastener
- Very stable foot
- Full PU cover
- Easy to move around
- For use anywhere in the gym

REF. 4140705 steel bar for horizontal bar supports
REF. 2202205 fiberglass rail for horizontal bar supports



COACHING PLATFORM 'CLUB'

REF. 1490370

For uneven bars and horizontal bar

 $\ensuremath{\mathsf{Is}}$ not attached to the equipment and does not influence its characteristics


- Folds up automatically out of the way
- Platform adjustable in height with non-slip surface
- Sturdy floor anchoring and also for use above a landing pit
- Heght adjustable 137 to 197 cm
- Size board 140x50 cm




PROTECTION PAD

REF. 1760303

- U-shaped with HD foam
- Washable bisonvl
- Hand grip and velcro fastening
- Quick to fit
- Length 140 cm
- Can also be used on the uneven bar





COMPETITION LANDING MATS 'ROTTERDAM'

REF. 2240501 competition landing mat 300x200x20 cm
REF. 2240511 competition landing mat 250x200x20 cm
REF. 2240521 competition landing mat 200x200x20 cm
REF. 2240531 competition landing mat 200x100x20 cm

Competition landing mat 'Rotterdam', FIG certified. By using various types of hi-tech foam, in combination with the patented handy-grips, equal damping characteristics are ensured over the whole surface. The microtunnels in the foam in combination with the handy-grips make it possible to have an optimum air outlet regulation. The mat is fully side-stabilized and a newly developed polyester webbing is added between the foam layers. The result is a stable mat with a soft feel which fully meets the FIG landing mat regulations. The hull is made of reinforced washable PVC with an anti-slip base and covered with densely tufted, heat dispersing felt carpet. The handy-grips make it very easy to handle the mat. The mat can be linked in all directions thanks to velcro loop on top of the mat at all 4 sides.



More mats on request

Our mats are also available in PVC



HANDY-GRIPS

Handy-grips are not only handy. The grips have a tear resistance 6 times higher than regular mat grips. The air regulating capabilities of the grips come from the combination of the air tunnels in the foam and the netting of the handy-grips. The special netting allows air to flow out freely but at the same time prevents dust from coming inside the foam, thus increasing the life time of the mat.

SOFT MAT

REF. 1540170

This mat of 300x200x30 cm is a soft crash mat for training purpose. To be used on top of landing mats for additional safety. Core consists of soft hi-tech foam 18 kg/m^3 . Bottom anti-slip, with 8 handy-grips for regulated air outlet and easy transportation. Weight 36 kg.

SOFT LANDING MATS

 REF. 1540145
 200x200x10 cm

 REF. 1540146
 200x200x5 cm

 REF. 1540150
 400x200x10 cm

 REF. 1540155
 600x200x10 cm

REF. 1540160 600x 200x10 cm with marking for vault

landing zone.

Soft landing mat in PVC cover with zip fastener. Available in height of 10 cm. Mandatory at FIG competitions for balance beam, uneven bars and horizontal bar (2x). Allowed and recommended for tumbling and double minitrampoline. Height of 5 cm for trainingpuposes

REF. 1540600



Extra soft 'methodical' training mat of 200x100x15cm, for repeated training exercises.



SOFT TRAINING MAT FLOOR

REF. 1540610

- Ideal for diagonal acrobatic series
- Increased safety
- Velcro to prevent mat from sliding
- Dimensions: 375x133x3 cm



SAFETY SPOTTER MAT

REF. 1540509

200x100x12 cm

- Reduces impact
- With soft filling
- Two handles on one side of the mat
- Compact and easy to handle



TRAMPOLINE SPOTTER MAT

REF. 1495289

Safety throw mat for trampoline, 125x175x14 cm

- Compulsory for competitions
- A must for training
- Throw mat for trainers
- Reduces the peak loads
- Increases safety





MAGNESIA

REF. 1389135

Pack of 8 magnesium blocks, total approx. 450 g

- Box of 8 wrapped blocks
- Structure and composition specifically for gymnastics

MAGNESIA STAND 'ATHENS' REF. 1389154

With sturdy base and ergonomic basin

- · Prevents spillage of magnesium powder
- With useful platform on the back
- · Used during the Olympic Games in Beijing

MAGNESIA STAND CHARLEROL

REF. 1389114

Special shaped plastic bowl on epoxy-coated metal support. Height 95 cm. Not illustrated

MOVABLE SCOREBOARD

REF. 1730424

- · Height adjustable
- · Non-marking castors
- Impact-proof epoxy coated
- Numbers easy to adjust
- Clearly readable numbers (24 cm high)

EXTENSION

REF. 1730408

Fits the mobile scoreboard with 5 numbers

- Easy to mount
- Numbers easy to adjust
- · Clearly readable numbers
- Number height 24 cm







MAGNESIA HOLDER FOR FEET

REF. 1389160

Used in vaulting and floor exercises

- Prevents soiling of your sports facilities
- Reduces use of magnesium
- · With velcro for fixation
- · With raised sides
- 50 x 50 cm



FLOOR ANCHOR

REF. 1384121

This swivelling anchor (360 degrees) has been especially designed to absorb the forces of all our competition and training equipment. Including a brass ring and lid. Detailed mounting instructions will be supplied on request.




ANCHOR FLOOR PI ATF


REF. 1384144

Steel anchor plate with a welded eye to which the tension cables can be fixed. Detailed mounting instructions will be supplied on request.


UNEVEN BARS




BALANCE BEAM




FLOOR




HORIZONTAL BAR




PARALLEL BARS






POMMEL HORSE

VAULT



RINGS



HANDSTAND SWING REF. 1384164 Training aid for rings handstand · Next phase to follow the wooden handstand aids • Grips in correct position for rings • For perfecting the stance • Simple correction by trainer • Moves in 1 direction

HANDSTAND TRAINING AIDS

REF. 1403150 per pair 40 cm REF. 1403160 per pair 90 cm

- Rounded edges
- Essential for handstand practice
- For asymmetric bars and parallel bars
- Simple to use everywhere



HANDSTAND BOWL

REF. 1384168

Practice bowl for rings handstand

- Next phase to follow the handstand swing
- Moves in all directions
- Grips in correct position for rings
- For perfecting the stance
- Simple correction by trainer



Movement in all directions, to train equilibrium and muscle build up.

HANDSTAND BOWLS

REF. 1384174 per pair


Pair of practice bowls for rings handstand

- Independent hand movement
- Simulation of rings movement
- For perfecting the stance
- Simple correction by trainer
- Can be fixed in place using rubber rings

REF. 1720360 per piece Foam rubber gymnastics ring

- Soft rubber
- Sturdy
- Stable







Independent hand movement to all sides, training equilibrium and muscle build up.

methodical equipment



SET OF RINGS

REF. 1384175 per pair

Wooden rings

- With strap to hang into the rails of men's bar
- Ideal for methodic training
- Straps can be adjusted in height
- · Can be used with wall basn support



HORIZONTAL BAR SUPPORTS

REF. 1384080

Pair of supports for horizontal bar or asymmetric bars 40 cm high

- · With quick fastener
- Very stable foot
- Full PU cover
- Easy to move around
- For use anywhere in the gym

REF. 4140705 steel bar for horizontal bar supports REF. 2202205 fiberglass rail for horizontal bar supports

WALL BARS SUPPORT

REF. 1403234

Foldable support to supplement wall bars exercises

- Fits every type of wall bars
- Suitable for pull-up exercises
- · For use with set of rings
- Easy to store away
- · Ideal for methodic training



FLIC-FLAC-TRAINER

REF. 1540321

Elliptic methodical training device made of special lightweight foam

- Enables training of Flic-Flac and rollover movements
- Independent use through learners is possible
- Frequent repititions without any problems
- Facilitates and eases the assistance for coaches
- Size 75x75x75 cm



THOMAS FLAIR APPLIANCE

REF. 1403210

Training aid for learning the Thomas Flair

- With swivels and pulleys
- Helps to achieve the right movement
- Adjustable foot loops
- Width adjustable
- Can be hung anywhere



POMMEL STIRRUP

REF. 1403204

Double leg circles trainer

- Training aid for learning leg moves
- Plank with bearings
- With heel support and velcro
- · Feet always in the right position
- To be used with mushroom

EXTRA SOFT CRASH MAT, 70 CM

 REF. 1569600
 stretch cover - 200x150x70cm

 REF. 1569605
 stretch cover - 350x200x70cm

 REF. 1569620
 bisonyl cover - 200x100x70cm

 REF. 1569625
 bisonyl cover - 350x200x70cm

Same basic structure as a landing pit, with foam beams and air pockets. Ideal for halls without a landing pit or for creating additional elevated landing areas. The construction allows the blocks to be handled easily. With anti-slip bottom and sides with netting for rapid air outlet. Covered with soft stretch fabric or bisonyl.











Combination vault at pit



Pit for exercise bar

FOR MORE INFORMATION ON LANDING PITS,

Please contact our export department



Trainingscentre Sydney

BELT

REF. 1760330

Fifty-fifty belt without ring 22 - 32 cm

- For use in Fifty-fifty device
- · Without metal ring
- Wide belt with quick fastener
- 2 removable leg straps



SOMERSAULT BELT

REF. 1760320 Junior belt ø 30 cm, 65 - 90 cm **REF. 1760321** Senior belt ø 38 cm, 80 - 110 cm

- Rotating in the transversal axis
- Smooth ball bearings
- Wide belt with quick fastener
- 2 removable leg straps



TRAINER SUPPORT

REF. 1540184 90x75x60 cm **REF. 1540188** 75x45x60 cm

Washable Bisonyl

- Easy to move around
- Useful as step-up block
- Can be used as a trainer platform
- Can be used in 3 positions




SCREW SOMERSAULT BELT

REF. 1760325 Junior belt ø 30 cm, 65 - 90 cm **REF. 1760326** Senior belt ø 38 cm, 80 - 108 cm

- Twisting through both axes
- Smooth ball bearings
- Wide belt with quick fastener
- 2 removable leg straps







REF. 1790200

FIG certified

Newest development of the competition tumbling track. Solid steel frame with glass-fibre rods and plastic adapters for better pressure distribution, consisting of 21 elements of 121 x 200 cm each. Covered with multi-layer, overlapping floor exercise mat "TRIFLEX" with integrated grid material providing additional protection and durability of mat. Total length of tumbling track 25,41 m.

The ideally matched materials cause highest elasticity and reduce the arising power peaks at most.

Particularly suited as a training track for training centres. Other lengths available upon request.

REF. 2204040 Run up track
REF. 2204045 Landing zone

TUMBLING TRACK

REF. 1790250

including run-up track and landingzone

The total length of the track, run-up and landing area is 42,39 m. Consisting of:

A tumbling zone of 25,41 m, composed of 21 dynamic steel sections of 121x200 cm with rectangular fibreglass rods with pressure dividers. Each section rests on rubber feet. The rods are suspended in rubber casings in order to lower the noise level. The sections are linked together with bolts and nuts. Wooden run-up of 10,98 m.

Landing area of 6 m, bottom anti-slip.

The entire track is covered with a three-layer foam and carpet composition of 80 mm giving this track its extraordinary fast rebound properties. Including white velcro for demarcation of the track and landing area. For training halls we offer a reduced length track.





TUMBLING TRACK 'ANTWERP'

REF. 1790760 18 m

Tumbling track 'Antwerp'-15 elements

With new spring technology and excellent dynamics

- New "Spring and Security System" guarantees an optimal rebound
- High performance base with tension straps to lock the sections
- High quality foam layer for a fast response and the best landing comfort
- Height 20 cm and connectable with our Apollo Antwerp floor for a perfect integration in training halls
- Suitable for all ages and levels of gymnasts
- Also available in

Ref. 1790762 12 m **Ref. 1790770** 14 m





TROLLEY SYSTEM FOR TUMBLING TRACK

Art. 1590055 Trolley for rollable mat (A)

Art. 1590050 Trolley for 15 pcs floor elements "Antwerp"

with storage system (B)

Art. 1522178 Trolley for puzzle shaped foam pieces (C).

Please always store the elements in an upright position

ROLLABLE FLEXIROLL FLOOR MATS

 REF. 3900304
 600x200x4 cm

 REF. 3900306
 1200x200x4 cm

 REF. 3900307
 1400x200x4 cm

 REF. 3900303
 2000x200x4 cm

- Roll up without turning over
- Quick fitting and removal
- No roll-up core is needed anymore
- High absorption 40 mm thick





AIR TRACK PRO SUPERIOR

REF. 1740925 size 15x2x0,2 m **REF. 1740926** size 10x2x0,2 m

The air track Superior is super silent thanks to glued and sealed seams. A versatile, flat track, ideal for every club with recreational or starting gymnasts.



TRANSPORT TROLLEY

REF. 1522164

For transport and storage of an air track

- Foldable handle
- No need to lift air track
- Extends life of air track
- · Handle locks wheels
- 2 castors and 2 fixed wheels



MINIBLOWER AIRTRACK

REF. 1740076

Compact blower for air track 2.5 m³ / 180 mbar.

- Rapid inflation and deflation
- Easy to transport
- Fitted with a thermal cut-out
- Lightweight
- Recommended 2 blowers for one airtrack



BLOWER

REF. 1740070

Flight case with adjustable air track blower

- Easy to transport
- Very quiet
- Inflates air track super-fast
- Pressure can be regulated from 0 to 100
- Activates automatically and keeps track at the selected pressure



MANOMETER

REF. 1740110

For use with Mini-blower 1740076

- Clear display of pressure
- Always the right rebound
- For air track and air products



MINIBLOWER AIR PRODUCTS

REF. 1740115

Compact blower for air products

- Rapid inflation and deflation
- Easy to transport
- Fitted with a thermal cut-out
- Leightweight
- Adapter for Air Products included



CONNECTION KIT AIR PRODUCTS

REF. 1740590

- To connect 2 air products
- Strips with velcro bottom and bisonyl top
- 2 strips of 85x23 cm and 1 strip of 180x23 cm
- 2 lashing straps for e.g. fixing the Airmat Impuls Board to a springboard or a vaulting table





AIRMAT IMPULS INCLINE

REF. 1740521 size 120x90x30 - 10cm

- Comfortable training for jumps, floor exercises, uneven bars and parallel bars
- Can be inflated in a few seconds, with adjustable pressure level
- Easier on joints, so you can practise more often
- The lines make it clear to both gymnast and trainer where correction is needed
- For beginners and top gymnasts
- Suitable for jumps and handspring excercises



REF. 1740511 size 200x100x10cm

- Teaching aid (for e.g. balance beam) and provides greater comfort for floor exercises
- Can be inflated in a few seconds, with adjustable pressure level
- Easier on joints, so you can practise more often
- The orientation lines make it clear to both gymnast and trainer where correction is needed
- For beginners and top gymnasts
- Suitable for jumps and handspring excercises

AIRMAT IMPULS FLOOR - LONG

REF. 1740510 size 400x100x10cm

- Teaching aid (for e.g. balance beam) and provides greater comfort for floor exercises
- Can be inflated in a few seconds, with adjustable pressure level
- Easier on joints, so you can practise more often
- The orientation lines make it clear to both gymnast and trainer where correction is needed
- For beginners and top gymnasts
- Ideal for vault excercises
- Suitable for jumps and handspring excercises








AIRMAT IMPULS CYLINDER

REF. 1740520 size ø 80x100cm

- For learning various acrobatic exercises
- Can be inflated in a few seconds, with adjustable pressure level
- Can be secured with elasticated cords
- Can also be used with other equipment (e.g. for workouts)
- For beginners and top gymnasts
- Limited storage space
- Suitable for jumps and handspring excercises



AIRMAT IMPULS BOARD

REF. 1740501

- More comfortable training and greater rebound for young and lighter gymnasts
- Can be inflated in a few seconds, with adjustable pressure level
- Easier on joints, so you can practise more often
- The lines make it clear to both gymnast and trainer where correction is needed
- For beginners and top gymnasts
- Suitable for jumps and handspring excercises



AIRMAT IMPULS SQUARE

REF. 1740500 size 100x100x10cm

- Comfortable training for jumps and floor exercises
- Can be inflated in a few seconds, with adjustable pressure level
- Easier on joints, so you can practise more often
- The lines make it clear to both gymnast and trainer where correction is needed
- For beginners and top gymnasts
- Suitable for jumps and handspring excercises



rhythmic gymnastics

RG CARPET

REF. 1790281

RG carpet 14x14 metres (3 mats of 14x4 m, 1 mat of 14x2 m). Complete with demarcation tape.

REF. 1790286

RG carpet 16x16 metres (4 mats of 16x4 m).

Complete with demarcation tape.

Due to a better presentation to spectators and for TV broadcasting we do recommend to use the RG floor of 16x16 m at competitions.

For RG material please contact our export department







RG COMPETITION FLOOR

REF. 1790280, 1790290

FIG certified

Official RG floor at the Olympic Games 2004 in Athens and 2008 in Beijing! 14x14 m floor with shock absorbing base construction consisting of 121 sections, each 124x124 cm, and covering equalizing plates fixed together by means of velcro. Special foam elements provide superior shock absorption. Extremely smooth, antistatic, top quality RG super velour carpet with great shearing resistance ensures optimal training and competition conditions. The scope of supply includes red tape to mark the competition area of 13x13 m and double-sided glue tape to fix the RG carpet.

Alternatively available with carpet of 14x14 m or 16x16 m and in colour savanna-beige.

REF. 1790280 14x14 m **REF. 1790290** 16x16 m



REF. 2511232 Per pair Trolleys for RG Carpet

FREE EXERCISE FLOOR 'ANTWERP'

REF. 1790750

FIG certified

The free exercise floor 'Antwerp' features a very high resilience and short reaction time. These are the requirements to perform difficult elements.

At the same time an optimal shock absorption during landings should be achieved, that to a great extent prevents injuries and provides safety despite increasing loads. It's a great challenge for all manufacturers of the gymnastic apparatus to find the balance between these parameters.





Dvnamics:

- A new spring system guarantees an optimal rebound
- The high performance base of 12x12 m offers increased comfort.
- A high quality foam layer for a fast response **Security:**

• High quality finished water resistant coated plywood (FSC)

- Resilient coupling strips, improved tongue and groove system, together with a system of 24 tension straps to lock the sections
- An intermediate layer of high quality foam provides progressive absorption qualities and guarantees the best comfort at landings
- Height 20 cm for a perfect integration in training halls.

 Perfectly suitable for all ages and levels

A new product with exceptional rebound characteristics on the entire surface that allows all gymnasts to always find optimal conditions

TECHNICAL DETAILS:

Dimensions:

- 14x14 m, dynamic surface
- Competition area: 12x12 m
- Height 20 cm

AEROBIC FLOOR


REF. 1790560


FIG certified

The Janssen-Fritsen aerobic floor is an advanced development of the previous aerobic floor and meets the highest requirements for high level competition and training. The active spring force and cushioning are coordinated in such a way that they provide superior shock absorption and extra wrist protection consequently. The basic plates with spring elements are connected by means of flexible lamels made of reinforced polypropylene ensuring an easy and quick installation. The aerobic floor consists of 50 multi-layer high pressure glued wooden plates (each 240x120 cm) with a top layer developed especially for Aerobics. The construction is held by tensioning belts preventing floor from shifting. Outstanding dynamics and attractive design! Total size 12x12 m, height 7,5 cm. Including marking tape.

Since wood is a natural product, the aerobic floor may slightly vary in colour.

Suitable for tv recordings because of non reflecting surface.









Easy to install and store.



REF. 1565900

Set safety landing mats, for 1 Ultimate trampoline competition set-up.


REF. 1565910

Set safety landing mats, for 2 Ultimate trampolines competition set-up.

TRAMPOLINE TRACK

REF. 1495000

With high rebound performance, for a permanent installation in training centres. The rebound effect and cushioning are co-ordinated in such a way that they provide a superior wrist protection. Re-adjustable springs. Ideal as training track for acrobatic elements. Length and width per element 2x2 m. Various lengths possible.



ULTIMATE

REF. 1495023

FIG certified

- Trampoline Ultimate 4x4
- Frame 530x305x115 cm, jumping bed 426x213 cm made of 4x4 mm nylon strands and stitched-in anchor bars, 118 steel springs, 32 mm frame pads foldable, with lifting roller stands

REF. 1495223

- Set of two safety platforms Ultimate (safety mats to be ordered separately)
- Supplementary frames designed to fit at the short ends of a full size Ultimate trampoline, offering additional safety and confidence of spotting at trampoline level. Steel frame construction with elastic stringing

REF. 1495224

 Safety mat set Ultimate. Consisting of 2 mats of 300x200x20 cm, each with a detachable wedge of 300x40x20 cm. To be used together with 1495223

REF. 1495025

 Jumping bed for Ultimate, 426x213 cm with 4x4 mm nylon webbing, complete with anchor bars

REF. 1495289

Secure mat.



DOUBLE MINITRAMP 'ULTIMATE'

REF. 1495022

FIG certified

• The frame is constructed from oval steel tube, it is galvanised and foldable. Size of frame 350x190x70 cm. Size of bed 292x92 cm, with 6x6 high performance jumping bed and attached to the frame by 102 steel springs. The trampoline is provided with blue safety padding which covers the frame and springs. With rubber floor protectors. Total weight 152 kg. Including one pair of roller stands.





TRAMPOLINE SPRINGBOARD

REF. 1411331

The equipment to learn vaulting on a springboard

- Spring board with springs and jumping bed similar to mini-trampoline
- Main goal is to make the transition from mini trampoline to competition springboard an easier one
- Can be used as a springboard
- Max 60 kg



With handy castors

- Frame 115x115 cm. bed 60x60 cm
- Height adjustable and can be fitted horizontally
- Sturdy washable protective pad
- Easily movable
- No protruding parts
- Hardwearing rubber floor protectors
- For intensive school use



FOR MORE INFORMATION PLEASE ASK FOR OUR DETAILED PRODUCT INFO SHEETS

MINITRAMPOLINE

REF. 1411020

- Frame 112x112 cm, bed 60x60 cm
- Galvanised metal frame
- Height and angle adjustable
- Foldable
- With closed protective pad over frame and springs
- Including floor protectors

MINITRAMPOLINE SUPER

REF. 1411025

- Frame 125x125 cm, bed 70x70 cm
- Galvanised metal frame
- Height and angle adjustable
- Foldable
- With closed protective pad over frame and springs
- Including floor protectors



MINITRAMPOLINE OPEN-END

REF. 1411010

Classic model

- Frame 120x120 cm, bed 60x70 cm
- No metal frame on the short sides
- Foldable and height adjustable
- For secondary schools and clubs
- Foldable and height adjustable
- Castors seperatly available (1411015)

MINITRAMPOLINE TEAMGYM

REF. 1411050

- A springboard trampoline for top-level sport, highperformance acrobatics, show groups
- Shock absorbing and stable frame pads
- Particularly high stability and durability
- Extraordinary performance
- Jumping bed (60 x 60 cm) made of 6 mm wide nylon strands
- Flat-oval steel frame 125x130 cm made of special galvanized steel
- Adjustable in height 23,7 28.5 cm
- 36 steel springs (length 185 mm, Ø 32 mm) galvanized






The Janssen-Fritsen Just For kids programme aims to provide the youngest with apparatuses adjusted to their needs. The modular system 'Just For kids' offers a lot of outstanding advantages to the children gymnastics such as simplicity, variety of applications and adaptability. All modules can be easily and quickly adjusted and varied in different ways, so that versatile creative exercise areas can be build up.

just for wide

'Just For kids' system enables children to:

- Experience new movements
- Develop the sense of balance and perception of own body
- Increase the physical activity by playing
- Advance conditional and coordination capabilities
- Get self-confidence due to readiness for risk





Special catalogue available on request and on our website,



Just For kids gymnastics



MINI-HORIZONTAL BAR 'JUST FOR KIDS'

REF. 1403424

- Can be combined with other JFk equipment
- Height adjustable
- Base supports 2 metres long
- Simple to adjust



MINI-PARALLEL BARS 'JUST FOR KIDS'

REF. 1403434

- Can be combined with other JFk equipment
- Base supports 2 metres long
- Simple to adjust
- Height adjustable 85 to 125 cm



MINI-STILL RING FRAME 'JUST FOR KIDS'

REF. 1403444

- Can be combined with other JFk equipment
- Height adjustable from 195 to 220 cm
- Base supports 2 metres long
- Simple to adjust



MAT FOR 'JUST FOR KIDS' EQUIPMENT.

REF. 1403464

300x135x18 cm.

- For use under any type of equipment
- Hygienic, washable
- PVC cover with zip fastener



MINI-UNEVEN BARS 'JUST FOR KIDS'

REF. 1403454

- Can be combined with other JFk equipment
- · Height adjustable
- Base supports 2 metres long
- · Simple to adjust.



DOUBLE REBOUNDER 'JUST FOR KIDS'

REF. 1403414

- 1 bar and two rebound elastic cords
- Methodic equipment for boys and girls
- Handstand posture
- High frequency, low impact
- Strengthening of abdominal and back muscles



FOUR-STATION FRAME 'JUST FOR KIDS'

REF. 1403458

JFk frame with Mini bars, rings, uneven and parallel bars

- JFk combi module
- All pieces of equipment in one
- A complete circuit
- Space saving
- Total surface area 4x4 metres

Janssen-Fritsen is best known for the outstanding properties of our competition and training equipment. This equipment is being developed in our own Research & Development department with the input of scientific institutions and world-renowned coaches and athletes. However, even the best equipment cannot be used properly unless it has been installed in the right way and at the right place. Also here we have our own in-house specialists. If you plan to build or renovate your hall, contact us in a stage as early as the planning phase. Our specialists will use their experience to your advantage to prepare the installation of equipment in the overall most economic way. Not only do we advise you about the layout you planned for your club but also on auxiliary constructions, which can be built in when constructing the hall, thus reducing total costs considerably. We will also assist you in finding the right balance between the equipment, which you wish to have in your gym in combination with your budget and the planned utilisation of your hall. An experienced technician team will come to you to built in the equipment. In short, we will assist you in reaching an optimal gym with minimal long-term costs, that meets your specific demands.

Please contact us and we will find an individual solution.



Motivated crew




Trampoline hall






Top Gymnastics Hall Sydney, Australia



Extensive preparations by our project supervisors

PROJECTS

From small gyms to world's largest gymnastics venues, we can be of service with all your projects. We would like to invite you to contact us as early as possible, as this can result in major advantages in terms of cost saving and construction benefits.










Impression of Gymnastics Hall in Sydney, Australia



COMPETITION PODIUM

REF. 1830000

Modern and stable, meeting FIG requirements Constructed of modular steel frames (122x244 cm) Supplied with stairs and anchorage points for counterweight systems.

Approx. 1096 m² in total surface area.

Very suitable for TV broadcasts.

Greater equipment elasticity.

More pleasing presentation of athletes and equipment

The competition podium has featured at a number of

World Championships and is recognized by the International Gymnastics Federation.

Are you interested? Please contact us for an individual offer!









Helsinki	2015	15th World Gymnaestrada
Minsk	2015	European Championships RG
Sofia	2014	European Championships ART
Antwerp	2013	World Championships ART
Putian	2012	5th Asian Championships ART
Palembang	2012	3rd Asian Championships AER
Brussels	2012	European Championships WAG
Doha	2011	Arab Games
Palembang	2011	SEA Games
Bucharest	2011	European Championships AER
Forli	2011	World Cup ACRO
Shenzhen	2011	26th Universiade
Palermo, Sicily	2011	Island Games
Palermo, Sicily Guangzhou	2011	Island Games Asian Games
		iolaria Garrios
Guangzhou	2010	Asian Games
Guangzhou Rotterdam	2010	Asian Games World Championships
Guangzhou Rotterdam Singapore	2010 2010 2010	Asian Games World Championships Youth Olympic Games
Guangzhou Rotterdam Singapore Milan	2010 2010 2010 2010 2009	Asian Games World Championships Youth Olympic Games European Championships
Guangzhou Rotterdam Singapore Milan Beijing	2010 2010 2010 2010 2009 2008	Asian Games World Championships Youth Olympic Games European Championships Olympic Games
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam	2010 2010 2010 2010 2009 2008 2007	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam Doha	2010 2010 2010 2010 2009 2008 2007 2006	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships XV Asian Games
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam Doha Volos	2010 2010 2010 2010 2009 2008 2007 2006 2006	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships XV Asian Games European Championships
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam Doha Volos Mérida, Táchira	2010 2010 2010 2009 2008 2007 2006 2006 2005	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships XV Asian Games European Championships Juegos Andes 2005
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam Doha Volos Mérida, Táchira Baku	2010 2010 2010 2009 2008 2007 2006 2006 2005	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships XV Asian Games European Championships Juegos Andes 2005 27th World Championships R.G.
Guangzhou Rotterdam Singapore Milan Beijing Amsterdam Doha Volos Mérida, Táchira Baku Athens	2010 2010 2010 2009 2008 2007 2006 2006 2005 2005 2004	Asian Games World Championships Youth Olympic Games European Championships Olympic Games European Championships XV Asian Games European Championships Juegos Andes 2005 27th World Championships R.G. Olympic Games

Lisbon	2003	12th World Gymnaestrada
San Salvador	2002	Central American and Caribbean Games
Ghent	2001	World Championships
Ghent	1999	World Championships Acrogym
Amman	1999	Pan Arab Games
Bangkok	1998	Asian Games
Walvisbay	1998	African Championships
Lausanne	1997	World Championships
Asker	1996	European Championships R.G.
Walvisbay	1995	African Games
Charleroi	1995	European Championships
Cairo	1995	4 Continent Games R.G.
Stockholm	1994	European Championships
Barcelona	1992	Olympic Games
Havana	1991	Pan American Games
Amsterdam	1991	World Gymnaestrada
Athens	1990	Mediterranean Games
Stockholm	1989	European Championships
Rotterdam	1987	World Championships
Skien	1975	European Championships
Munich	1972	Olympic Games
Madrid	1971	European Championships
Bogota	1971	Pan American Games
Ljubljana	1970	World Championships
Panama	1969	Central American Games
Mexico City	1968	Olympic Games
Amsterdam	1967	European Championships
Dortmund	1966	World Championships
Antwerp	1965	European Championships

REMARKS

Janssen-Fritsen does not recommend any modification of the equipment supplied. Should the equipment be modified through improper manipulation, Janssen-Fritsen assumes no responsibility for the damages caused. Any product modifications will negate our responsibility towards product liability.

All tension equipment is supplied without floor anchorage!

Check all floor mountings for proper function, quality and solidity before installing the tension equipment!

Gymnastic equipment and mats have performance limits, and materials wear in a certain period of time. All equipment parts subject to strong wear and tear should be inspected carefully on a regular basis. That particularly concerns securing of a djustable parts and mechanisms, bar rails, rings, etc.

Deliveries are carried out according to the valid FIG-specifications on the day of delivery.

For all our deliveries our general payment and delivery terms are valid in principle.

Janssen-Fritsen reserves the right of modification and adjustment of its products.


The issue of this catalogue replaces previous documentations.

Copyright: Janssen-Fritsen

Edition: Spring 2015

OFFICIAL PARTNER OF:







Asian Gymnastics Union



Union Européenne de Gymnastique



Belgian Gymnastics Federation



Royal Dutch Gymnastics Union





Janssen Fritsen Gymnastics
Berkveld 1, P.O. Box 77
5700 AB Helmond
the Netherlands
Tel.: +31 492 530930
E-mail: export@janssen-fritsen.com
www.janssen-fritsen.com